

Handy Hints[®]





HANDY 2 HINTS®



I don't like waiting for the glue to reach the bottle's tip when I'm in the middle of a big glue-up. To make sure the glue is ready to flow immediately when I pick up the bottle, I just turn the bottle upside down in a can that sits on my workbench.

BRAD HOLDEN



UNDER-THE-HOOD MAINTENANCE RECORD

My truck's air filter cover makes a perfect blackboard for my maintenance schedule. I use a chalk marker to write down the dates I last changed the oil, air filter, spark plugs, etc. The chalk marker isn't affected by water but is easily cleaned off with an ammoniabased cleaner (such as Windex). For me, this is much simpler than recording everything in the owner's manual. It's right where I need it!

HANK HUFF





all the stuff I might need at the top of my ladder. So I attach a bolt to the top surface through one of the existing tool holes. You'll need a nut and washer on top and underneath. It's perfect for hanging an extension cord, a tool belt or even a bucket.

MARK AMMONS

AROUND-THE-SHOP CURVE GUIDES

When I need to draw a curve on a project, instead of reaching for a ruler and a compass, I start looking around my shop. There are dozens of round objects available for tracing a perfect curve or radius—anything from a 5-gallon bucket to a roll of tape to the dime in my pocket.

BOB TURNER




FLEXIBLE PAPER TOWEL STORAGE

I needed out-of-the-way storage for paper towel rolls. My simple solution uses four eye hooks and two bungee cords. Attach two eye hooks low and two higher up. Stretch the bungee cords from the lower hooks to the upper hooks.

MIKE DAVENPORT









QUICK FIX FOR MARKER MISTAKES

Who hasn't accidentally written on a white board with a permanent marker? Luckily, it's a snap to remove. Simply write over the permanent marker ink with a dry-erase marker and then wipe with an eraser or a dry cloth. Your dry-erase board will be as good as new!

ELIZABETH FLAHERTY



SAWDUST FOR OIL SPILLS

Sawdust won't remove the stain from an oil spill, but it can quickly get rid of the puddle. And if you have power tools, you've got a ready supply. Sprinkle a generous amount of sawdust over the oil and let the pile sit for about 20 minutes.

Using a stiff broom, sweep the sawdust over the spill a few times to soak up as much oil as possible. Scoop the oily sawdust into a plastic bag, tie it shut and toss it in the trash. You may need to use a degreaser to remove any oily residue.

Note: In most states, it's acceptable to throw oil-soaked sawdust in the trash (as long as the oil is no longer in liquid form). However, you should check your local regulations before doing so.

TRAVIS LARSON



After you've had remodeling or roofing work done on your home, it's not unusual to get a flat tire from old nails or other hardware left behind. As soon as the roofing contractors' taillights were out of my driveway, I rigged up this drag using rope and a 24-in. magnetic bar tool holder (No. YA161; \$40 at store.snap-on.com). I drag it everywhere I'll be driving. It picks up much more metal debris than the wheeled type, which doesn't actually touch the ground. It sure beats the cost and hassle of a flat tire.

STEVE RODGERS



HANDY SANDING DISC CLEANER

Sandpaper loses its effectiveness when it's clogged with sawdust or pitch. Gum eraser-type sandpaper cleaners work really well, but if you don't have one, the sole of an old sneaker works too. Turn on your sander and slide the rubber sole along the disc or belt, using just enough pressure to remove the sanding debris.

LEE WRIGHT



Home centers and lumberyards typically have red plastic flags and twine or staples to fasten the flags to your extra-long load. But it seems like they're almost always out of one of the above. Also, staples and twine usually come undone, liberating the flag before I've reached my destination. So I keep my own flag in my truck. It's a red shop rag with a bungee cord run through a hole in one corner of the rag. I've never had this fly off, and it's always there when I need it.

SAUL CARVAJAL

NO CORKSCREW? NO PROBLEM!



Insert a key

Push a key into the cork at a 45-degree angle until the key's teeth are all the way in the cork. Then twist and pull the cork up and out.

TINA WATRUD



Thread a large screw hook into the cork

Then just slip your finger through the hook and pull out the cork.

JIM FERGUSON



CONVENIENT BENCH CLAMPS

Trigger-style bar clamps make perfect workbench hold-down clamps. First, punch out the split-tube stop at the end of the clamp's bar and then slide the trigger head off. Slip the bar through a bench-dog hole and reinstall the trigger head. If your bench doesn't have dog holes, just drill a hole wherever you need it.

WILL LEIGHTON





POCKET MAGNET

Here's a tip I discovered by accident. I'd been installing some rare earth magnets in a project, so I had a few in my pocket. When I stepped away from my workbench, I looked down and saw my 12-ft. tape measure attached to my pocket! It's not a lot of trouble to use the tape's clip, but having the tape measure stuck to your pocket is even easier.

I keep a few magnets stuck to my tape measure's clip so I don't lose them. This won't work with a 25-ft. tape; it's just too heavy. And don't put the magnets in the same pocket as your phone or credit cards.

BRAD HOLDEN



FIX FOR SAGGING

Here's a clever way to keep shelves from sagging. Cut a piece of plywood the height of the space between the shelves and just wide enough to provide support for the shelf. Cut enough pages out of an unwanted book to accommodate the plywood brace. Glue the plywood into the book and tuck it in with your other books, near the center of the shelf.

WALT MORRISON



QUICK MIXING SURFACE

Instead of using a container to mix a little epoxy, make a mixing surface on your workbench using painter's tape. Lay down several strips, overlapping the edges so the epoxy doesn't get on your bench. When you're done, peel off the tape and throw it away.

CHRIS WHITING



I've found the easiest way to pull staples is with a hook blade in my utility knife. A quick jerk in the middle of the staple usually does the trick. Once in a while, the staples snap in two and I have to pull them out with pliers. But that's better than pulling every single one that way.

NEIL LONG





COMPRESSOR CREEPER

Air compressors are heavy and cumbersome to haul around a shop or garage, so I put mine on wheels. I picked up this mechanic's creeper at a yard sale for \$15. Now it's a breeze to roll, rather than carry, my compressor wherever I need it.

NEAL HALSEY



MOTOR OIL SMART SPOUT

I had a hard time pouring motor oil into my snow blower engine without spilling, so I raided the kitchen for a solution. I found that the spout for olive oil and vinegar bottles screws right onto motor oil bottles. Now I can pour without a mess, but I need to buy a replacement before my wife finds out.

RICH GONZALEZ



SELF-DRAINING DEHUMIDIFIER

If you forget to empty the tank on your dehumidifier, it'll either overflow or shut off. That defeats the whole purpose of running a dehumidifier in damp areas. I didn't have a floor drain in that part of the basement, so I bought a condensate pump (\$40 to \$100 at home centers) and tubing and rigged it to my dehumidifier. Then I ran the tubing up to the ceiling, through the joist areas and down to the laundry tub. Now the dehumidifier runs full time, and I never need to empty the tank or worry about it shutting off.

DOUG BALTZER





When I'm working outside, it never fails that I need to go back into the house for something I've forgotten. But I'm too lazy to take my dirty shoes off, so I keep a stash of plastic grocery bags in the mudroom. I just step into the bags to cover my dirty shoes and tie the handle loops around my ankles. I can go into the house without leaving a trace.

LANCE WIIST



PREPAINTING NAIL HEADS

When you're installing prepainted wood or engineered-wood siding, paint the tops of galvanized nail coils the color of the house before loading them into the gun. It's much faster than going back and painting them one at a time later. Use a foam brush and apply the paint sparingly so it doesn't drip over the edges of the nail heads. Let the paint dry completely before loading the coils into the nail gun.

NATE SCHLUTER





C-CLAMP HANDLES

Quart-size paint cans don't have handles, but they'd be so much easier to use if they did. Here's my solution:
Attach a C-clamp to the can. It actually works better than a bail because it's out of the way for dipping the brush, and it keeps the can from swinging. Your clamp will get paint on it, but cleaning it up is easy.

MIKE WATT



TWO NAIL LENGTHS IN ONE GUN

Small carpentry projects, such as trimming a door, often require a couple different lengths of brad nails. To save time, load the different lengths you'll need into the magazine. When you need to switch, just open up the magazine and put the strip with the correct length of brads first in line. You'll also break fewer strips by loading them all at once. Nail strips tend to break when they're shoved into a pocket or dropped on a hard floor.

TRAVIS LARSON



To get my laptop at a comfortable height for working, I made this shelf for my desk with some leftover boards, glue and a few finish nails. I used a 12-in. x 24-in. piece of plywood for the platform and two 12-in. pieces of 1x3 for the supports. Attach the supports with glue and finish nails or screws. The open space is a good spot to stash a pad of paper, books or my keyboard when it's not in use.

MARK PETERSEN



A PENNY FOR YOUR TOILET SHIMS

I often use spare change as shims to level a toilet. Coins provide a firm seat, and each denomination is a different thickness. Simply slide as many coins as necessary under the toilet until it's completely level. Then tighten the flange bolts and caulk along the floor as usual. The caulk will hide the coins. Washers work well too.

LES ZELL, MASTER PLUMBER



EASY STORAGE FOR HAIR APPLIANCES

This PVC wye fitting looks like it was designed to store hair appliances! The 4-in. opening is perfect for a hair dryer, and the 2-in. one is just the right size to hold a curling iron or straightener. The fitting is stable enough to sit on a vanity top without tipping over. If you don't like the look, either spraypaint it or mount it inside a cabinet with a couple of screws.

JULIE OELLRICH







SALAD BAR GREENHOUSE

The next time you hit the salad bar for lunch, save the plastic container to make a mini greenhouse for starting seeds. Wash the container and then punch some air holes in the top. Fill the bottom with potting soil, plant your seeds, add a little water and close the lid. Set the container in a sunny spot and watch your seeds sprout! Once the seeds sprout, take off the lid.

DIANE PLOWE



Hanger bolts are tricky to install. One end is threaded for wood, the other end has machine threads, and there's no head. So I thread two nuts on the end with machine threads and tighten them against each other. This allows me to use a wrench to install these otherwise tricky bolts.

JAY NORMAN





SEAL OUTDOOR FURNITURE FEET

Wooden outdoor furniture rots from the ground up, and the parts that touch the ground are usually end grain, which makes matters even worse. End grain readily wicks moisture from the ground.

Moisture always wins in the end, but you can extend the life of your outdoor furniture by coating the feet with two-part epoxy. Be sure the parts you're coating are dry before applying the epoxy. Allow the epoxy to fully cure according to the instructions on the package, then put your furniture back into use outside.

ALEX KUMMERFELDT



PORTABLE CLOTHES PODS

Here's a cool way to pack your clothes for moving. First, cut a hole in the center of the bottom of a large trash bag. Grab a handful of clothes by the hanger hooks and slip the bag over it, pulling the hooks through the hole. Use a zip tie or wire to hold the hooks together, and then tie the open end shut. Your clothes stay clean in these easily portable pods, and you never have to take them off the hangers!

SOPHIE REHBEIN



THE MONEY WRENCH TRICK

If you don't have the right size open-end wrench to fit a nut or bolt, just dig into your pocket and pull out your loose change. Shove the coins into the gap between the wrench jaw and the nut or bolt head until you get a snug fit.

GORDON McKAY



MEDICINE CABINET MAGNETS

Nail clippers and tweezers tend to get buried in the medicine cabinet. So I hot-glued a few magnets to the back of the cabinet door to hang these small items in plain sight. I use cheap disc magnets from the hobby store; the more expensive rare-earth magnets are too strong.

DAVID FARRAND



Not sure which electronic device goes with which cord plugged into your power strip? Plastic bread tabs are perfect for labeling cords. They're sturdy and big enough to write on, and you can easily clip them around the plug end of a cord.

CHRIS JOHNSON



After you pour paint from a can, some paint always ends up in the can's rim. When you tap the lid back on, paint splatters everywhere. To avoid this, throw a rag over the lid before tapping it shut. Also, use a block of wood that spans the lid so you don't deform the can or lid with the hammer. Just tap the block a couple of times, give it a quarter turn and tap again.

JEROME COFFEL



NO-MESS REFILLS FOR SINK SOAP

Crawling under a kitchen sink to refill the soap dispenser was a hassle, so I tried filling it from above. But when I did, the soap formed an air-lock bubble and overflowed, creating a mess. That's when I came up with the idea of inserting a drinking straw in the bottle to relieve "bubble block." Now when I refill the dispenser, the air escapes through the straw and the soap stays where it belongs.

PAUL SNYDER



Ratchet straps must have a selftangling feature-they're always twisted up when I want to use them. I've tried bundling them with rubber bands, but the bands break as they get old. So I bought a roll of stretch wrap and put it in a canvas bag with my ratchet straps. When I'm done using a strap, I bundle it up and wrap it tight with a few rounds of stretch wrap. I fold back the end portion so it's easy to unwrap the next time. Now my straps are always ready to use.

MIKE COLEMAN





HANDY RAG CUTTER

I cut up old T-shirts and towels to use as rags in my shop. To speed up the process, I clamp a utility knife in my bench vise and make a cut to help me tear the scraps. If you're careful, you can make the entire cut with the knife.

ISAAC RICHARDSON



TOILET BRUSH FRESHENER

To keep your toilet brush as fresh as possible, put a splash of pine-scented cleaner in the bottom of the brush holder. This will disinfect the brush and keep your bathroom smelling clean.

BRI AITCHISON



My earplugs were never around when I needed them, and too often I'd go without rather than search. I started tethering my earplugs to my cap, so there's no longer an excuse for skipping the hearing protection.

RICK WISZ



SQUIRT-GUN TOILET DRAINER

When you're repairing or replacing a toilet, you need to remove all the water. Simply shutting off the water supply and flushing won't do it. A sponge works, but it's kind of slow. So I use an old squirt gun to suck the water out and squirt it into a bucket, leaving just the last few drops to sponge out.

DALE CONKLIN





FASTER FILING WITH LESS CLOGGING

When you use metal files on soft, nonferrous metals such as aluminum or brass, the teeth clog quickly. This means frequent cleaning with a file card. To keep the teeth from getting clogged, try this old trick: Rub a piece of chalk along the teeth before using the file on the workpiece.

CONNOR WRIGHT



GRIT REMINDER

After remodeling my kitchen, I had a shoebox full of sanding sponges of various grits and no idea what was what. Now, before I toss the packaging, I write the grit number on the end of the sponge with a permanent marker. Also, you can reuse sanding sponges that have lost their grit by simply wrapping them with sandpaper.

MATT OWCZARCZAK







DOUBLE-DUTY SANDPAPER

For some jobs, a single sheet of sandpaper is too flimsy; the paper backing wears out before the grit. My solution is to glue two pieces back to back with spray adhesive. Sometimes I use two different grits for versatility.

BRAD HOLDEN



EASY I.D. FOR SWITCHED OUTLETS

I can never remember which of the outlets on my duplex receptacles are powered by the light switch and which one is always live, so I always wind up plugging into the wrong one. To eliminate the confusion, I marked the switched outlet with an "S." No more mix-ups.


NORMAN SCHOCK

WASTE-FREE PAINTING

I have several rental properties that are always in need of repainting. Instead of throwing out leftover paint, I put it to use. I gather all my partial cans of interior latex-any color or sheen-and dump them into a 5-gallon bucket. Next, I mix the paint with a power-driven paint mixer to get a uniform color. It usually turns out off-white with an eggshell sheen. If the color is too dark, I lighten it by adding a can of white paint. Then I pour the paint into another 5-gallon bucket through a strainer bag. I lift out the strainer bag to remove any debris and pop on a lid to keep the paint fresh.

TOM DVORAK





CHRISTOPHER JAMES



BOBBY PIN NAIL HOLDER

When you're hammering small nails or nails in tight quarters, keep your fingers out of the line of fire with a bobby pin. It will grip even the smallest nails.

ED BARROS





INSTANT HARDWARE PATINA

I've found that gun bluing (\$10 for 3 oz. at sporting goods stores) gives off-the-shelf hardware an attractive, aged patina. Simply dip nuts, bolts, washers or other hardware into a cup of gun bluing. When the hardware turns black, rinse it with water and dry it with a paper towel. Be sure to wear rubber gloves and eye protection.

BRAD HOLDEN, ASSOCIATE EDITOR



JEFF RANALLO

soap and water

and spray it on your plants to kill

whiteflies.

insects like aphids, mites, thrips and






SANDPAPER TEARING BLADE

Cutting sandpaper will dull scissors and utility knife blades in no time. Here's a better technique: Fasten a hacksaw blade to the edge of your workbench. Slip a washer behind the blade at each of the mounting holes so a sheet of sandpaper can easily slide in behind the blade. I fold the paper to the finished size I want, then cut along the fold.


DARRELL NOVACEK



SCREW ORGANIZER

When you disassemble a piece of furniture that needs to be repaired or moved to a new home, poke the screws and nails into a piece of rigid foam. Group similar fasteners together or arrange them in the order they were removed. Use a pen or marker to label the groups or make notes that will be helpful for reassembly.


J. KRECH



INSTANT OIL FUNNEL

Don't have a funnel handy? An empty plastic oil container will do the job. Cut the bottom out of the empty container with a utility knife. This funnel can hold an oil container snugly, so you don't have to stand around waiting for the last drop to drain.

FATHER CHRYSANTHOS



SPACERS THAT STAY PUT

Sixteen-penny nails (also known as 16d nails) make perfect spacers when you're installing deck boards, but they often fall through the cracks. Keep the nails in place by pounding them through plastic jar covers. They're easier to move and won't slip between the boards and disappear.

DAVID R. KIMBLE





BETTER BLADES IN MINUTES

Pitch buildup on saw blades causes friction, burning and premature blade dulling. You can buy special cleaners to remove the pitch, but this easy fix uses stuff you already have around the house. Heat a pan of water to boiling, drop in the saw blade, and then pour baking soda on the blade. Leave the blade in the boiling water for five minutes or so, then carefully remove it and wipe it dry.

EVAN GAFKJEN

BUCKET-LID CORD REEL

Make this handy cord reel using extra bucket lids from drywall mud pails or other 5-gallon buckets. Cut a 5-in. length of 4x4 and then cut a groove in the side just wide enough to fit your cord. Fasten the lids to the 4x4 with $1/4 \times 2$ -in. lag screws. Make handles from an old 1-1/8-in.-diameter broom handle and drill a 1/2-in. hole through the centers. Fasten the crank to the lid with bolts, nuts and washers, and apply Loctite sealant to the end nut. Fasten the handle to the 4x4 through the lid with a 6-1/2-in. lag screw. Then just insert your cord and reel it in.


DOUG KOENIG



PERFECTLY SQUARE, HANDS-FREE!

Holding parts square while clamping and fastening can be tricky. These plywood triangles make it easy. Using a miter saw or table saw, cut the triangles, taking care that your setup is perfectly square. Drill a hole at each corner, large enough for your clamp heads. Be sure to cut off the triangle's top corner, so it doesn't get glued to your workpiece.

JOE SKIBA





Removing baked-on food from a cast iron pan is tricky. Soap can strip away the pan's "seasoning," so what do you do? Scrunch up a piece of tinfoil and run hot water over the pan, using the foil to scour away the stuck-on food.

KIM ZHANG

ends of a short length of vinyl tubing over the handles to hold them open. Squeeze to close. P.S. Take your pliers to the hardware store or home center to help you get tubing that's a perfect fit.

SHELLY JACOBSEN

MOVABLE BIKE RACK

Tired of that bike hanging in your way? Build this movable bike rack from a 2x4 and a pair of bicycle hooks. Cut four 3-1/2-in. blocks, stack them in twos and screw them together. Now screw them on the end of a 4-ft. 2x4 and repeat the process on the other end.

Drill a hole in the middle of the stacked blocks and screw in the bicycle hooks. Lay the rack across your garage ceiling joists, and hang your bike from the hooks. When you need to get behind the bike, simply slide the entire rack out of the way.

KITTY FAY





Here's a quick way to protect the carbide teeth of your saw blades. Cut a length of split wire loom to length and wrap it around your blade.

SAMUEL WARD



CARL HINES

pliers. Presto! You've got a new

sharp tip.

ENLARGE TINY PRINT

The print on some containers is so small that even someone with perfect vision would have trouble reading it. Instead of searching for a magnifying glass, grab your phone and take a photo of the text. Now, you can open the photo and zoom in to make the words legible.

CESAR LOPEZ



NEVER FORGET THE COMBINATION

If you have trouble remembering your lock combination, try this: Pick a secret number and add it to each of the combination numbers. Mark the resulting higher numbers on the lock itself with a marker or rotary tool. When you need to open the lock, subtract your secret number from each number to determine the combination.





When you need to shorten a bolt, let your drill do the work. Put two nuts on the bolt and tighten them against each other. Then stick the bolt in a drill and hold a hacksaw against the spinning bolt. The nuts help to steady the saw blade and remove burrs when you take them off the bolt.

LAWRENCE ORJADA







JIFFY CHARCOAL STARTER

Run out of lighter fluid for your charcoal grill again? If you have a 2-lb. coffee can, you can make a reusable coal starter and skip the fluid altogether. Cut the bottom out first, and then pierce the sides with a can opener to make air vents.

Place the can in the barbecue and loosely crumple newspaper in the bottom one-third of the can. Fill the rest of the can with charcoal and light the newspaper through one of the vents. After the coals start to gray, lift the hot can off with tongs, leaving glowing coals behind.

JOHN DEITHLOFF





DRAWER ORGANIZER

Keep measuring cups and spoons from cluttering up a drawer. Just attach a strip of wood to the drawer's side. Install washers behind the wood strip to create a gap for the handles to slide into.

CHRIS GRIMAL









HANDY CAMPING KIT

My family does a lot of camping, and I always had trouble rounding up all the little items we needed and keeping them organized. First aid supplies, bungee cords, clothesline, bug spray.... Then I loaded it all into a fishing tackle box, and now we're always ready to go.


LYNN MAGERS



GET THE GUNK OFF DRILL BITS

The heat produced during drilling causes resin to build up on drill bits. Resin-coated bits cut poorly and heat up and get dull faster. To remove the resin, spray the bit with oven cleaner and let it soak for a couple minutes. Then scrub it with a toothbrush and rinse with water.

VIRGIL PETERSEN






CORD CONTROL

Here's an easy way to keep cords and cables from slipping off a desk. Clamp a binder clip onto the edge of your desk and run the cable through it. For cords with large ends, squeeze the clip's handles to remove them, slip in the cord and reinstall the handles.

CARTER JANACEK



DRAW A CIRCLE WITH A CHAIN

To quickly draw a circle or mark a radius, put a nail through one end of a chain and into the workpiece and use the nail as a pivot point. Insert the point of a pencil into a chain link at the desired radius and draw the arc or circle while keeping the chain taut.

MIKE MURPHY



WHAT'S IN THE GARDEN SPRAYER?

I use my garden sprayer for pesticides, herbicides and fertilizers. I was never able to remember what I last had in it, so I picked up some key chain tags at the hardware store. I add the product info to the tags and clip the corresponding one to the sprayer. Problem solved! Our model isn't wearing protective gloves; be sure you do!

CARROLL PETER





SIMPLE NOTE CLIP

Mousetraps make good note clips. I have one tacked on the wall over my workbench. I also fastened them near every stationary tool around my shop—they're effective and cheap!

BRUCE SANDEEN



TOTE BAG STIFFENER

Reusable grocery bags are easier to load if you add a little more structure. Cut a piece of tempered hardboard or plywood to fit the bottom. You can also insert a cardboard box—or make one to fit your bag perfectly.

ANNA JAKOWSKI







Instead of buying pocket hole plugs, use this jig to make as many as you need. Drill a pocket hole into a 2x4. Then insert a 3/8-in. dowel and slice it off flush with the face of the 2x4. After making the angled cut, push the dowel through, cut the end at 90 degrees and repeat.





RENEW CRAFT KNIFE BLADES

Don't dispose of craft knife blades when they get dull. Instead, sharpen them. All it takes is a small piece of glass or a flat surface and a piece of 600-grit sandpaper. Carefully hone both beveled faces of the blade until it cuts like new.

KARI ALEXANDER